

	Search Text	DBs
1	(375/224.ccls. or 375/316.ccls. or 375/286.ccls.) and (memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter) near5 bandwidth or spectrum))	USPAT
2	(memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter) near5 bandwidth or spectrum))	USPAT
3	(memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter) same bandwidth or spectrum))	USPAT
4	(memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
5	(memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter or partition or segregate) same (bandwidth or spectrum or frequency or frequencies)))	USPAT
6	(memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and ((divide or separate or filter or partition or segregate) same (bandwidth or spectrum or frequency or frequencies)))	USPAT
7	((memory or store or storage or save) and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT

	Search Text	DBs
8	((memory or stores or store or storage or save or delay or buffer) and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
9	((memory or stores or store or storage or save or delay or buffer or address) and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
10	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
11	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
12	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
13	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation))))	USPAT
14	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or (orthogonally near1 encoded) or biorthogonal or bi-orthogonal) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation))))	USPAT

	Search Text	DBs
15	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or (orthogonally near1 encoded)) and (biorthogonal or bi-orthogonal) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))))	USPAT
16	("4513429" "5490148" "5497400" "5764102" "6115431").PN.	USPAT
17	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or (orthogonally near1 encoded)) and (biorthogonal or bi-orthogonal) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))))	EPO; JPO; DERWENT; IBM_TDB
18	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or (orthogonally near1 encoded)) and (biorthogonal or bi-orthogonal) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	((memory or stores or store or storage or save or delay or buffer or address) and (biorthogonal or bi-orthogonal) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	("4513429" "5490148" "5497400" "5764102" "6115431").PN.	USPAT
21	(reed-muller or (reed adj muller)) and (((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
22	(reed-muller or (reed adj muller))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
23	(reed-muller or (reed adj muller)) and (biorthogonal or bi-orthogonal)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
24	20020013926.URPN.	USPAT
25	20020013926.URPN.	USPAT
26	(reed-muller or (reed adj muller)) and (biorthogonal or bi-orthogonal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
27	((US-6279132-\$ or US-5771288-\$ or US-6236687-\$ or US-5448592-\$ or US-5463657-\$ or US-4959842-\$ or US-4933956-\$ or US-5938787-\$ or US-5870414-\$ or US-4246653-\$ or US-3818442-\$ or US-3810019-\$).did.	USPAT
28	((US-6279132-\$ or US-5771288-\$ or US-6236687-\$ or US-5448592-\$ or US-5463657-\$ or US-4959842-\$ or US-4933956-\$ or US-5938787-\$ or US-5870414-\$ or US-4246653-\$ or US-3818442-\$ or US-3810019-\$).did.) and (time adj division adj (multiplex or multiplexed))	USPAT

	Search Text	DBs
1	(memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter) near5 bandwidth or spectrum))	USPAT
2	(memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter) same bandwidth or spectrum))	USPAT
3	(memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and ((divide or separate or filter or partition or segregate) same (bandwidth or spectrum or frequency or frequencies)))	USPAT
4	(memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
5	((memory or store or storage or save) and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
6	((memory or stores or store or storage or save or delay or buffer) and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT

	Search Text	DBs
7	((memory or stores or store or storage or save or delay or buffer or address) and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
8	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
9	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
10	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))))	USPAT
11	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or (orthogonally near1 encoded) or biorthogonal or bi-orthogonal) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation))))))	USPAT
12	("4513429" "5490148" "5497400" "5764102" "6115431").PN.	USPAT

	Search Text	DBs
13	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or (orthogonally near1 encoded)) and (biorthogonal or bi-orthogonal) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation))))))	USPAT
14	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or (orthogonally near1 encoded)) and (biorthogonal or bi-orthogonal) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation))))))	EPO; JPO; DERWENT; IBM_TDB
15	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or (orthogonally near1 encoded)) and (biorthogonal or bi-orthogonal) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation))))))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	("4513429" "5490148" "5497400" "5764102" "6115431").PN.	USPAT

	Search Text	DBs
17	((memory or stores or store or storage or save or delay or buffer or address) and (biorthogonal or bi-orthogonal) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	(reed-muller or (reed adj muller)) and (((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	20020013926.URPN.	USPAT
20	20020013926.URPN.	USPAT
21	(reed-muller or (reed adj muller)) and (biorthogonal or bi-orthogonal)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
22	(US-6279132-\$ or US-5771288-\$ or US-6236687-\$ or US-5448592-\$ or US-5463657-\$ or US-4959842-\$ or US-4933956-\$ or US-5938787-\$ or US-5870414-\$ or US-4246653-\$ or US-3818442-\$ or US-3810019-\$).did.	USPAT
23	((US-6279132-\$ or US-5771288-\$ or US-6236687-\$ or US-5448592-\$ or US-5463657-\$ or US-4959842-\$ or US-4933956-\$ or US-5938787-\$ or US-5870414-\$ or US-4246653-\$ or US-3818442-\$ or US-3810019-\$).did.) and (time adj division adj (multiplex or multiplexed))	USPAT
24	(reed-muller or (reed adj muller)) and (biorthogonal or bi-orthogonal)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
25	(reed-muller or (reed adj muller))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
26	(reed-muller or (reed adj muller)) and (interleave or interleaver)	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
27	((reed-muller or (reed adj muller)) and (interleave or interleaver) and (@ad<19990129))	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
28	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))))) and (@ad<19990129))	USPAT
29	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))))) and (interleave or interleaver) and (@ad<19990129))	USPAT
30	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))))) and (interleave or interleaver) and (tdm or (time adj division adj (multiplexed or multiplex))) and (@ad<19990129))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
31	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation)))) and (interleave or interleaver) and (tdm or (time adj division adj (multiplexed or multiplex))) and (@ad<19990129)	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	5448592.pn. and ((receive or received or receiver or receives) with (coded or code or coder or codes))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
33	(memory and (decode or decoder)) and (@ad<19990129 or @prad<19990129 or @rlad<19990129)	EPO; JPO; DERWENT; IBM_TDB
34	(375/224.ccls. or 375/316.ccls. or 375/286.ccls.) and (memory and (decode or decoder)) and (@ad<19990129 or @prad<19990129 or @rlad<19990129)	USPAT
35	(375/224.ccls. or 375/316.ccls. or 375/286.ccls.) and (memory and (decode or decoder)) and (time adj division) and (channel or channels or frequency or frequencies) and (@ad<19990129 or @prad<19990129 or @rlad<19990129)	USPAT
36	(memory and (decode or decoder)) and (time adj division) and (channel or channels or frequency or frequencies) and (@ad<19990129 or @prad<19990129 or @rlad<19990129)	EPO; JPO; DERWENT; IBM_TDB
37	((375/224.ccls. or 375/316.ccls. or 375/286.ccls.) and (memory and (decode or decoder)) and (time adj division) and (channel or channels or frequency or frequencies) and (@ad<19990129 or @prad<19990129 or @rlad<19990129)) or ((memory and (decode or decoder)) and (time adj division) and (channel or channels or frequency or frequencies) and (@ad<19990129 or @prad<19990129 or @rlad<19990129))	EPO; JPO; DERWENT; IBM_TDB
38	1997-496320.NRAN.	DERWENT

	Search Text	DBs
39	5923713.pn.	USPAT
40	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation))))))	USPAT
41	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation))))))	USPAT
42	((memory or stores or store or storage or save or delay or buffer or address) and (orthogonal or orthogonally encoded) and (((reed adj muller) or reed-muller) or (reed adj muler) or reed-muler or (red adj muler) or red-muler or (red adj muller) or red-muller) and ((qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) or (qam or (quadrature adj amplitude adj (modulate or modulation))))))	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	(375/224.ccls. or 375/316.ccls. or 375/286.ccls.) and (memory and (decode or decoder)) and (time adj division) and (channel or channels or frequency or frequencies) and (@ad<19990129 or @prad<19990129 or @riad<19990129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Search Text	DBs
44	(375/224.ccls. or 375/316.ccls. or 375/286.ccls.) and (memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter) near5 bandwidth or spectrum))	USPAT
45	(375/224.ccls. or 375/316.ccls. or 375/286.ccls.) and (memory and (decode or decoder)) and (time adj division) and (channel or channels or frequency or frequencies) and (@ad<19990129 or @prad<19990129 or @rlad<19990129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
46	(375/224.ccls. or 375/316.ccls. or 375/286.ccls. or 375/259.ccls.) and (memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter) near5 bandwidth or spectrum))	USPAT
47	(375/224.ccls. or 375/316.ccls. or 375/286.ccls. or 375/259.ccls.) and (memory and (decode or decoder)) and (time adj division) and (channel or channels or frequency or frequencies) and (@ad<19990129 or @prad<19990129 or @rlad<19990129)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
48	(375/224.ccls. or 375/316.ccls. or 375/286.ccls.) and (memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter) near5 bandwidth or spectrum))	USPAT
49	(370/442.ccls.) and @ad<19990129	USPAT

	Search Text	DBs
50	(memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter or partition or segregate) same (bandwidth or spectrum or frequency or frequencies)))	USPAT
51	(370/442.icls.) and @ad<19990129	USPAT
52	(370/442.icls.) and (receiv\$5) and @ad<19990129	USPAT
53	(370/442.ccls. or 375/224.ccls. or 375/316.ccls. or 375/286.ccls. or 370/431.ccls. or 370/432.ccls. or 370/436.ccls. or 370/437.ccls. or 370/441.ccls. or 370/458.ccls. or 370/464.ccls.) and (memory and (decode or decoder) and (orthogonal or orthogonally encoded) and ((reed adj muller) or reed-muller) and (qpsk or (quadrature adj phase adj shift adj (key or keying or keyed))) and (channelizer or channelizer) and ((divide or separate or filter) near5 bandwidth or spectrum))	USPAT
54	(370/442.ccls. or 375/224.ccls. or 375/316.ccls. or 375/286.ccls. or 370/431.ccls. or 370/432.ccls. or 370/436.ccls. or 370/437.ccls. or 370/441.ccls. or 370/458.ccls. or 370/464.ccls.) and tdma and ((different or switch\$5 or choos\$5) adj channel\$5) and (memor\$5 or stor\$10)	USPAT
55	(370/442.ccls. or 375/224.ccls. or 375/316.ccls. or 375/286.ccls. or 370/431.ccls. or 370/432.ccls. or 370/436.ccls. or 370/437.ccls. or 370/441.ccls. or 370/458.ccls. or 370/464.ccls.) and tdma and ((different or switch\$5 or choos\$5) adj channel\$5) and (memor\$5 or stor\$10) and @ad<19990129	USPAT

	Search Text	DBs
56	(370/376.ccls. or 370/442.ccls. or 375/224.ccls. or 375/316.ccls. or 375/286.ccls. or 370/431.ccls. or 370/432.ccls. or 370/436.ccls. or 370/437.ccls. or 370/441.ccls. or 370/458.ccls. or 370/464.ccls.) and tdma and (tim\$5 adj slot\$5 adj interchange\$5) and (memor\$5 or stor\$10) and @ad<19990129	USPAT
57	tim\$5 adj slot\$5 adj interchange\$5	USPAT
58	(370/376.ccls. or 370/442.ccls. or 375/224.ccls. or 375/316.ccls. or 375/286.ccls. or 370/431.ccls. or 370/432.ccls. or 370/436.ccls. or 370/437.ccls. or 370/441.ccls. or 370/458.ccls. or 370/464.ccls.) and (tim\$5 adj slot\$5 adj interchange\$5)	USPAT
59	(370/376.ccls. or 370/442.ccls. or 375/224.ccls. or 375/316.ccls. or 375/286.ccls. or 370/431.ccls. or 370/432.ccls. or 370/436.ccls. or 370/437.ccls. or 370/441.ccls. or 370/458.ccls. or 370/464.ccls.) and ((tim\$5 adj slot\$5 adj interchange\$5) with example)	USPAT
60	(370/376.ccls. or 370/442.ccls. or 375/224.ccls. or 375/316.ccls. or 375/286.ccls. or 370/431.ccls. or 370/432.ccls. or 370/436.ccls. or 370/437.ccls. or 370/441.ccls. or 370/458.ccls. or 370/464.ccls.) and ((tim\$5 adj slot\$5 adj interchange\$5) with figure)	USPAT
61	("3982074" "3982077" "4982273" "5062105" "5127002" "5239544" "5502723").PN.	USPAT
62	6041050.URPN.	USPAT